



DIGITAL WALL TILES

GLOSSY-8

G O R G I O U S
b e a u t y

300 X 600 MM
DIGITAL WALL TILES

feel
E V E R
L A S T
I N G



300 X 600 MM
DIGITAL WALL TILES




The appearance of your walls to increase the pleasure of living, for a cultivated person like you. Behold, the finery of these peerlessly pleasing digital wall tiles as we take you to the journey. Our range of vision is classified into glossy and matt finished tiles, so that you could be selective about these carefully crafted, spectacular tiles.



300 X 600 MM
DIGITAL WALL TILES

G R G I O U S
beauty



DIGITAL WALL TILES



series....

GLOSSY FINISH

DIGITAL WALL TILES



5701-LT



5702-LT



5701-HL



5702-HL



5701-DK



5702-LT

GLOSSY FINISH

DIGITAL WALL TILES



5703-DK



5704-DK



5703-HL



5704-HL



5703-DK



5704-DK

GLOSSY FINISH

DIGITAL WALL TILES



5705-LT



5706-LT



5706-HL-1



5706-DK

GLOSSY FINISH

DIGITAL WALL TILES



5707-LT



5708-LT



5707-HL-1



5708-HL-1




5707-DK




5708-DK

GLOSSY FINISH

DIGITAL WALL TILES



5709-LT



5710-LT




5709-HL-1



5710-HL-1



5709-DK




5710-LT

GLOSSY FINISH


DIGITAL WALL TILES




5711-LT



5712-LT



5711-HL-1



5712-HL-1




5711-DK



5712-DK

GLOSSY FINISH

DIGITAL WALL TILES




5713-LT



5714-LT



5713-HL-1



5714-HL-1



5713-DK



5714-DK

GLOSSY FINISH

DIGITAL WALL TILES




5715-LT



5716-LT



5715-HL-1



5716-HL-1




5715-DK



5716-DK

GLOSSY FINISH

DIGITAL WALL TILES



5717-LT




5718-LT



5717-HL-1



5718-HL-1



5717-DK



5718-DK

GLOSSY FINISH

DIGITAL WALL TILES



5719-LT



5720-LT



5719-HL-1



5720-HL-1



5719-DK



5720-DK

GLOSSY FINISH


DIGITAL WALL TILES



5721-LT



5722-LT



5721-HL-1



5722-HL-1




5721-DK



5722-DK

GLOSSY FINISH


DIGITAL WALL TILES



5723-LT



5724-LT



5723-HL-1



5724-HL-1



5723-DK



5724-DK

GLOSSY FINISH

DIGITAL WALL TILES




5725-LT



5726-LT



5725-HL-1



5726-HL-1



5725-LT



5726-DK

GLOSSY FINISH

DIGITAL WALL TILES




5727-LT



5728-LT



5727-HL-1



5728-HL-1



5727-LT



5728-DK

GLOSSY FINISH

DIGITAL WALL TILES



5729-LT



5730-LT



5729-HL-1



5730-HL-1



5729-DK



5730-DK

GLOSSY FINISH

DIGITAL WALL TILES



5731-LT



5731-LT



5731-KC-1



5731-KC-2



5731-LT



5731-LT

GLOSSY FINISH

DIGITAL WALL TILES



5732-LT



5732-LT



5732-KC-1



5732-KC-2



5732-LT



5732-LT

GLOSSY FINISH

DIGITAL WALL TILES



5733-LT



5733-LT



5733-KC-1



5733-KC-2



5733-LT



5733-LT

GLOSSY FINISH

DIGITAL WALL TILES



5734-LT



5734-LT



5734-KC-1



5734-KC-2



5734-LT




5734-LT

GLOSSY FINISH

DIGITAL WALL TILES



5735-LT



5735-LT



5735-KC-1



5735-KC-2



5735-LT



5735-LT

GLOSSY FINISH

DIGITAL WALL TILES



5736-LT



5736-LT



5736-KC-1



5736-KC-2



5736-LT



5736-LT

GLOSSY FINISH

DIGITAL WALL TILES



5737-LT



5737-LT



5737-KC-1



5737-KC-2



5737-LT



5737-LT

GLOSSY FINISH

DIGITAL WALL TILES



5738-LT




5738-LT




5738-KC-1



5738-KC-2



5738-LT



5738-LT

GLOSSY FINISH

DIGITAL WALL TILES



5739-LT



5739-LT



5739-KC-1



5739-KC-2



5739-LT



5739-LT

> TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARD EN-159/IS 13753	INDESIGN VALUE
DIMENSION & SURFACE QUALITY		
Dimension & Surface Quality	± 0.5%	± 0.4%
Deviation in Thickness	± 0.6 mm	± 0.3 mm
Straightness of sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
Surface Flatness	± 0.5%	± 0.3%
Surface Quality	Min. 95%	Min. 96%
PHYSICAL PROPERTIES		
Water Absorption	> 10%	12-15%
Bending Strength	> 150 kg./cm ²	150-180 kg./cm ²
Scratch hardness (Mohs)	Min. 3	Min. 3
Crazing	1 Cycle	No Crazing at 4 Cycles
CHEMICAL PROPERTIES		
Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemicals, except Hydro Flouric Acid
Household Chemical	Min Class B	
THERMAL PROPERTIES		
Thermal Shock	Resistant to 10 Cycles	CONFORMS
Thermal Expansion	Max. 9E-06	CONFORMS

> PACKING DETAILS

Size	Thickness (approx)	Tiles / Box	Coverage Area / Box	Wt. of Box (approx)
300x600mm	9.5mm	5 pcs.	0.90 sq. mtr.	14.5 kgs.

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.
2. Our conformity to the above Fast is applicable only for Quality.
3. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company dose not accept responsibility once the tiles are laid.



+919586799111